

DECLARATION OF PERFORMANCE (DOP)

The manufacturer and production location:

SERRAVALLE COPPER TUBES S.r.l.

Via Cassano 113 - 15069 Serravalle Scrivia (AL) - Italy

Unique identification code of the product type:

Seamless, round copper tubes for water and gas in sanitary and heating applications with an outside diameter of 6 – 267 mm.

Type under Article 11(4) of the CPR:

SCUDO® tubes

For a detailed description, please refer to www.sctubes.com

Intended uses of the construction product in accordance with the applicable harmonized standards and as intended by the manufacturer:

- Distributing networks for hot water and cold water
- Hot water heating systems including panel heating systems (under-floor, wall, overhead)
- Domestic gas and liquid fuel distribution, also other liquids
- Waste water sanitation and other waste liquids and waste gas
- Firefighting systems
- Pressure and vacuum systems

Declaration of Performance in conformity with the provisions of the following EU Regulation and EC Directive if the product has been installed in accordance with the national regulations:

EU 305/2011 EU Construction Products Regulation (CPR)
2014/68/EU EU Pressure Equipment Directive (PED)

Compliance with the requirements of the afore-mentioned EU Regulation and EC Directive is demonstrated by the observance of the following standard:

EN 1057:2006+A1:2010 Sytem 3 Annex ZA “Copper and copper alloys - Seamless, round copper tubes for water and gas in sanitary and heating applications”

The notified body carried out the initial inspection of the products:

Identification No. DPC 0679

Name and address:

CSTB Centre Scientifique et Technique du Batiment
 F 77421 Marne la Vallée Cedex 02 - France

Performed the determination of the product-type on the basis of type testing (based on sampling carried out by the manufacturer) of the product under system 3 and issued as: Certificate number **14/49**.

This declaration is no guarantee of properties in terms of product liability. The safety information of the product documentation must be observed.

Page 1 of 2



Serravalle Copper Tubes S.r.l.
 a Socio Unico
 Sede Legale
 15069 – Serravalle Scrivia (AL)
 Via Cassano, 113

Phone: + 39 0143 609 1
 PEC: ktubes@legalmail.it
 www.sctubes.com
 www.kme.com

Cap. Soc. € 3.000.000,00 iv
 Cod. Fiscale e Reg. Imprese
 di Alessandria 06600700485
 Partita IVA IT06600700485

First affixing of the CE marking: 2008


Declaration of performance according to:

EN 1057:2006 + A1:2010 – Annex ZA – Construction Products

Essential characteristic	Performance	Remarks
Reaction to fire	Class A.1	Decision of the Commission 96/603/EC, amended 2000/605/EC. Material for Class A acc. 96/603/EC do not require to be tested for reaction to fire
Crushing strength	NPD*	Derived from wall thickness and mechanical properties
Internal pressure	NPD*	Derived from wall thickness and mechanical properties
Dimensional tolerances	pass	All tubes must meet the specified dimensional tolerances
Resistance to high temperature	suitable for use up to 120 °C	Temperatures found in heating system pipes have non significant influence on the mechanical properties of copper. For example, it is not necessary to adjust the admissible maximal tension for pressure calculation when the room temperature is increased to 120°C. For applications at temperatures up to 250 °C the required wall thickness of the tube shall be calculated in accordance with the valid design stress.
Weldability	pass	The suitability for welding is characteristic of the copper grade used for products according to EN 1057:2006 and assured by control of the material composition.
Tightness: gas and liquid	pass	All tubes must be subjected to a freedom from defect test.
Durability of crushing strength, internal pressure and tightness	pass	All tubes must meet the requirements regarding surface

* Note: "No Performance Determined" according to EN 1057 / ZA.3

EN 1057:2006 + A1:2010 – Annex ZB – Pressure Equipment

Essential characteristic	Remarks
Material properties Brittle fracture prevention	Material properties must be meet in accordance with the required mechanical properties. Copper is not susceptible to brittle fracture due to its face-centred cubic crystal structure
Conformity of Material and manufacturer's certified documentation	On request, compliance of the product is confirmed by a certificate of the manufacturer according to EN 10204 Annex ZA

GENERAL REMARKS

- The performance of the products identified above is in conformance with the declared performance.
- This declaration of performance is issued under the sole responsibility of the manufacturer.
- The CE mark is a passport for free trade across Europe. It does not replace existing national regulations for special applications (e.g. drinking water, gas, sanitary, heating installations, etc.)
- The copper tube is suitable for drinking water applications. The national regulations for drinking water applications remain applicable and must be followed.

This declaration is no guarantee of properties in terms of product liability. The safety information of the product documentation must be observed.

Page 2 of 2


 Serravalle Copper Tubes S.r.l.
 a Socio Unico
 Sede Legale
 15069 – Serravalle Scrivia (AL)
 Via Cassano, 113

 Phone: + 39 0143 609 1
 PEC: ktubes@legalmail.it
 www.sctubes.com
 www.kme.com

 Cap. Soc. € 3.000.000,00 iv
 Cod. Fiscale e Reg. Imprese
 di Alessandria 06600700485
 Partita IVA IT06600700485